

Genito-Pelvic Pain/Penetration disorder - Female Sexual Pain Disorder
Dr Beth Shelly, PT, DPT, WCS, BCB PMD

References Introduction Female sexual pain

Bassaly R, Tidwell N, Bertolino S, Hoyte L, Downes K, Hart S. Myofascial pain and pelvic floor dysfunction in patients with interstitial cystitis. *Int Urogynecol J*. 2011 Apr;22(4):413-8.

Bason R, Althof S, Davis S, et al. Summary of the recommendations on sexual dysfunctions in women. *J Sex Med*. 2004;1:24-34.

Binik YM. The DSM diagnostic criteria for vaginismus. *Arch Sex Behav* 2010;39:278-291.

Borg C, Peters ML, Weijmar Schultz W, and de Jong PJ. Vaginismus: Heightened harm avoidance and pain catastrophizing cognitions. *J Sex Med* Article first published online: 24 OCT 2011 DOI: 10.1111/j.1743-6109.2011.02535.x

Constantine ML, Pauls RN, Rogers RR, Rockwood TH. Validation of a single summary score for the Prolapse/Incontinence Sexual Questionnaire-IUGA revised (PISQ-IR). *Int Urogynecol J*. 2017 Dec;28(12):1901-1907.

Frederick, D. A., Lever, J., Gillespie, B. J., & Garcia, J. R. What keeps passion alive? Sexual satisfaction is associated with sexual communication, mood setting, sexual variety, oral sex, orgasm, and sex frequency in a national US study. *The Journal of Sex Research*, 54(2), 186-201. 2017.

Haefner HK, et al. The vulvodynia guideline. *J Low Genit Tract Dis*. 2005;9:40-51.

Harish T, Krishna Prasad M, Murthy P, Successful management of vaginismus: An eclectic approach. *Indian J Psychiatry*. 2012 Oct-Dec; 54(4): 391–392.

Lieblum SR, et al. The treatment of vaginismus: success and failure. In: Lieblum SR, Rosen RC, eds. *Principles and Practice of Sex Therapy: Update for the 1990s*. NY: Guilford Press; 1989.

Lue TF, Giuliano F, Montorsi F, et al. Recommendations for women's sexual dysfunction. *J Sex Med*. 2004;1:6.

Lucas N, Macaskill P, Irwig L, Moran R, Bogduk N. Reliability of Physical Examination for Diagnosis of Myofascial Trigger Points. A Systematic Review of the Literature *Clin J Pain* 2009;25:80–89

Mayer TG, Neblett R, Cohen H, Howard KJ, Hee Choi Y, et al. The Development and Psychometric Validation of the Central Sensitization Inventory (CSI). *Pain Pract*. 2012 Apr; 12(4): 276–285.

Reissing ED, Bibik YM, Khalife S, et al. Vaginal spasm, pain, and behavior: an empirical investigation of the diagnosis of vaginismus. *Arch Sex Behav*. 2004;33:5-17.

Rogers RG, et al. An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for the assessment of sexual health of women with pelvic floor dysfunction, Neurourology and Urodynamics. 2018;37:1220–1240.

Silverstein JL. Origins of psychogenic vaginismus. *Psychother Psychosom*. 1989;52:197-204.

Simon, J. A., Davis, S. R., Althof, S. E., Chedraui, P., Clayton, A. H., Kingsberg, S. A., ... & Wolfman, W. Sexual well-being after menopause: An International Menopause Society White Paper. *Climacteric*, 1-13. 2018.

Souza MDCB, Gusmão MCG, Antunes RA, Souza MM, Rito ALS, Lira P, Mancebo ACA, Tamm MA, Panaino TR, Bahia MJ. Vaginismus in Assisted Reproductive Technology Centers: an invisible population in need of care. *JBRA Assist Reprod*. 2018 Mar 1;22(1):35-41

Spitznagle TM, Robinson CM. Myofascial pelvic pain. *Obstet Gynecol Clin North Am*. 2014 Sep;41(3):409-32

Van der Velde J, Laan E, Everaerd W. Vaginismus, a component of a general defensive reaction. An investigation of pelvic floor muscle activity during exposure to emotion-inducing film excerpts in women with and without vaginismus. *Int Urogynecol J* 2001;12:328-331.

References vaginal assessment of female sexual pain

Devreese A, Staes F, et al. Clinical evaluation of pelvic floor muscle function in continent and incontinent women. *Neurorol and Urodynam* 2004;23(3):190-197.

Doggweiler-Wiygul R. Urologic myofascial pain syndromes. *Current Pain and Headache Reports* 2004;8:445-451.

Dommerholt J, Bron C, Franssen J. Myofascial trigger points: an evidence-informed review. *J of Man and Manip Ther* 2006;14(4):203-221.

Frawley H, Bower W. Pelvic pain in Evidence based physical therapy for the pelvic floor Eds Bo, Berghmans, Morkved, Van Kampen. Elsevier Publisher Edinburgh 2007.

Jarrell JF, et al. Consensus guidelines for the management of chronic pelvic pain. *J Obstet Gynaecol Can* 2005;27(8):781-801.

Kavvadias R, et al. Pelvic floor muscle tenderness in asymptomatic, nulliparous women: topographical distribution and reliability of a visual analog scale. *Int Urogynecol J* 2013;24:281-286.

Lucas N, Macaskill P, Irwig L, Moran R, Bogduk N. Reliability of Physical Examination for Diagnosis of Myofascial Trigger Points. A Systematic Review of the Literature *Clin J Pain* 2009;25:80–89

[Meister MR](#), [Sutcliffe S](#), [Ghetti C](#), [Chu CM](#), [Spitznagle T](#), [Warren DK](#), [Lowder JL](#). Development of a standardized, reproducible screening examination for assessment of pelvic floor myofascial pain. [Am J Obstet Gynecol](#). 2019 Mar;220(3):255.e1-255.e9.

Shek KL, Dietz HP. Can resting tone of the pubovisceral muscle be assessed digitally? *Int Urogyn J and Pelvic Floor Dys* 2007;18(suppl 1):S101.

Slieker-ten Hove MCP, Pool-Goudzwaard AL, Eijkemans MJC, Steegers-Theunissen RPM, Burger CW, Vierhout ME. Face Validity and Reliability of the First Digital Assessment Scheme of Pelvic Floor Muscle Function Conform the New Standardized Terminology of the International Continence Society. *Neurourology and Urodynamics* 28:295–300 (2009)

Strauhal MJ, Frahm J, Morrison P, et al. Vulvar Pain: a comprehensive review. *JWHPT* 2007; 31: 7-26.

Van Alstyne LS, Harrington KL, Haskvitz EM. Physical therapist management of chronic prostatitis / chronic pelvic pain syndrome. *PTJ* 2010;90(12):1795-1806.

References EMG assessment of female sexual pain

Chiarinio G, et al. Biofeedback is superior to electrogalvanic stimulation and massage for the treatment of levator ani syndrome. *Gastroenterology* 2010;138:1321-1329

McGuire H, Hawton KKE. Interventions for vaginismus. *Cochrane Database of systematic reviews* 2009.

Naess I, Bo K. Can PFM contraction reduce vaginal resting pressure and resting EMG activity? *Neurourol and Urodynam* 2013;32(6):666.

Rogers RG, et al. An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for the assessment of sexual health of women with pelvic floor dysfunction, *Neurourology and Urodynamics*. 2018;37:1220–1240

Talasz H, [Kofler M](#), [Kalchschmid E](#), [Pretterklieber M](#), [Lechleitner M](#). Breathing with the pelvic floor? Correlation of pelvic floor muscle function and expiratory flows in healthy young nulliparous women. [IntUrogynecol J](#). 2010 Apr;21(4):475-81. Epub 2009 Dec 8.

References for treatment of female sexual pain

Anderson R, Wise D, Sawyer T, Nathanson BH. Safety and effectiveness of an internal pelvic myofascial trigger point wand for urologic chronic pelvic pain syndrome. *Clin J Pain* 2011.

Berman J, Berman L. *For Women Only*. New York: Henry Holt & Company; 2001.

Carrico DJ, Peters KM, Diokno AC. Guided imagery for women with interstitial cystitis: results of a prospective, randomized controlled pilot study. *J Altern Complement Med.* 2008;14(1):53.

Chaitow L, Lovegrove Jone R. Chronic pelvic pain and dysfunction practical physical medicine. Elsevier Churchill Livingstone 2012.

Doggweiler-Wiygul R. Urologic myofascial pain syndromes. *Current Pain and Headache Reports* 2004;8:445-451.

Engeler D, et al Guidelines on chronic pelvic pain *Eur Urol* 2010;57(1):35-48

FitzGerald MP, et al. Randomized multicenter clinical trial of myofascial physical therapy in women with interstitial cystitis / painful bladder syndrome sand pelvic floor muscle tenderness. *J of Urol* 2012;187:2113-2118.

Fowler JH, Christakis NA. Dynamic spread of happiness in a large social network: longitudinal analysis over 20 years in the Framingham Heart Study. *BMJ* 2008;337:a2338.

Frawley H, Bower W. Treatment of PFM pain and/or overactivity In *Evidenced based physical therapy of the pelvic floor*. Eds Bo K, Berghmans B, Morkved S, Van Kampen M. Churchill Livingstone Elsevier. Edinburgh, 2007.

Fuchs K. Therapy of vaginismus by hypnotic desensitization. *Am J Obstet Gynecol* 1980;137(1):1-7.

Gentilcore-Saulnier E, McLean L, Goldfinger C, Pukall CF, Chamberlain S. Pelvic floor muscle assessment outcomes in women with and without provoked vestibulodynia and the impact of a physical therapy program. *J Sex Med.* 2010;7:1003–1022.

Goldsmith R, Bloomfield D, Rosenwinkel E. Exercise and autonomic function. *Coron Artery Dis.* 2000;11(2):129–135.

Gurian MBF, et al. Chronic pelvic pain of musculoskeletal causes in women. *Exp Rev of Ob and Gyn* 2012;7.2:149

Harish T, Krishna Prasad M, Murthy P, Successful management of vaginismus: An eclectic approach. *Indian J Psychiatry.* 2012 Oct-Dec; 54(4): 391–392.

Hilton S, Vandyken C. The puzzle of pelvic pain – a rehabilitation framework for balancing tissue dysfunction and central sensitization I: pain physiology and evaluation for the physical therapist. *J of Women’s health PT.* 2011;35(3):103-113.

Heyman J, et al. Distension of painful structures in the treatment for chronic pelvic pain in women. *Acta Obstet Gynecol Scand* 2006;85(5):599-603.

Hoffman MD, Shepanski MA, Ruble SB, Valic Z, Buckwalter JB, Clifford PS. Intensity and duration threshold for aerobic exercise-induced analgesia to pressure pain. Arch Phys Med Rehabil. 2004 Jul;85(7):1183-7.

Holland A. Physical therapy intervention for dyspareunia: a case report. *J of Sec on Women's Health* 2003;27:18-20.

Idama TO, Pring DW. Vaginal dilator therapy-an outpatient gynecological option in the management of dyspareunia. *J Obstet Gynecol* 2000;20(3):303-305.

Jarrell JF, Vilos GB, et al. Consensus Guidelines for the Management of Chronic Pelvic Pain *J Obstet Gynaecol Can* 2005;27(8):781-801

Kagan R, Kellogg-Spadt S, Parish SJ. Practical Treatment Considerations in the Management of Genitourinary Syndrome of Menopause. Drugs Aging. 2019 Oct;36(10):897-908

Lee D, *The Pelvic Girdle An integration of clinical expertise and research.* Churchill Livingstone Elsevier Edinburgh. 2011.

Loving S, Nordling J, Jaszczak P, Thomsen T. Does evidence support physiotherapy management of adult female chronic pelvic pain? A systematic review. *Scand J of Pain* 2012;3:70-81.

Macey K, Gregory A, Nunns D, das Nair R. Women's experiences of using vaginal trainers (dilators) to treat vaginal penetration difficulties diagnosed as vaginismus: a qualitative interview study. BMC Womens Health. 2015 Jun 20;15:49.

Matos SRL, Lucas Rocha Cunha M, Podgaec S, Weltman E, Yamazaki Centrone AF, Cintra Nunes Mafra AC. Consensus for vaginal stenosis prevention in patients submitted to pelvic radiotherapy. PLoS One. 2019 Aug 9;14(8):e0221054.

McCullagh WMH, Vaginal dilators. April 23, 1949 *BMJ*, pg 723.

McGuire H, Hawton KKE. Interventions for vaginismus. *Cochrane Database of systematic reviews* 2009.

Melnik T, Hawton K, McGuire H. Interventions for vaginismus. Cochrane Database Syst Rev. 2012 Dec 12;12:CD001760.

Murina F, Bernorio R, Palmiotto R. The use of Amielle vaginal trainers as adjuvant in the treatment of vestibulodynia: an observational multicentric study. *Medscape J Med* 2008;10(1):23.

Naess I, Bo K. Can PFM contraction reduce vaginal resting pressure and resting EMG activity? *Neurourol and Urodynam* 2013;32(6):666.

Oyama IA, Rejba A, Lukban JC, et al. Modified Thiele massage as therapeutic intervention for female patients with interstitial cystitis and high-tone pelvic floor dysfunction. *Urology*. 2004;64:862–865.

Pacik PT. Understanding and treating vaginismus: a multimodal approach. *Int Urogynecol J*. 2014 Dec;25(12):1613-20.

Peters AA, et al. A randomized clinical trial to compare two different approaches in women with chronic pelvic pain. *Obstet Gynecol*. 1991;77:740-744.

Reissing ED. Consultation and treatment history and causal attributions in an online sample of women with lifelong and acquired vaginismus. *J Sex Med* Article first published online: 24 OCT 2011

Reissing ED, Armstrong HL, Allen C. Pelvic floor physical therapy for lifelong vaginismus: a retrospective chart review and interview study. *J Sex Marital Ther*. 2013;39(4):306-20.

Rogers RG, et al. An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for the assessment of sexual health of women with pelvic floor dysfunction, Neurourology and Urodynamics. 2018;37:1220–1240

Rosenbaum T, Addressing anxiety in vivo in physiotherapy treatment of women with severe vaginismus: a clinical approach. *J of Sex and Marital Ther* 2011;37:89-93.

Schneider MP, et al. Refractory chronic pelvic pain syndrome in men: can transcutaneous nerve stimulation help? *BJU* 2013;112(2):E159-E163.

Sikiru L et al. Transcutaneous electrical nerve stimulation (TENS) in the symptomatic management of chronic prostatitis / chronic pelvic pain syndrome: a placebo controlled randomized trial. *Int Braz J Urol* 2008;34(6):708-714.

Tu FF, As-Sanie S, Steege JF. Musculoskeletal Causes of Chronic Pelvic Pain: A Systematic Review of Existing Therapies: Part II. 2005, *Ob and Gyn Survey*, 60(7):474-483.

Vandyken C, Hilton S. The puzzles of pelvic pain: A rehabilitation framework for balancing tissue dysfunction and centralization II: A review of treatment consideration. *J of Women's Health PT*. 2012;36(1):44-54.

Yunker A, et al. Systematic review of therapies for noncyclic chronic pelvic pain in women. *Ob and Gyn Survey*. 2012;67(7):417-425.

Zarski AC, Berking M, Fackiner C, Rosenau C, Ebert DD. Internet-Based Guided Self-Help for Vaginal Penetration Difficulties: Results of a Randomized Controlled Pilot Trial. *J Sex Med*. 2017 Feb;14(2):238-254.